

# PRODUCT CATALOG



WWW.PROTEXMATTING.COM



**“WE’VE GOT YOU COVERED - PROTEX PROTECTS”**

Manufacturers of Quality Gym Floor Covers, Commercial Matting, and Logo Mats



## THE NEXT GENERATION OF GYM FLOOR PROTECTION

Protex is ushering in a whole new era of gym floor protection. You no longer have to settle for heavy, ugly, and time consuming vinyl systems. Introducing the GymPro line of floor protection products. Whether you need something quick and easy to put down, or extreme durability, we have you covered. Your gymnasium is an expensive investment. GymPro allows you to utilize the space without the fear of damage. Not only do our covers protect your floor, they also make your gym far better suited for events because they drastically improve the acoustics of your gym.



### Lightweight, Fast Protection

- 100% Recycled
- Easy 2 Person Deployment and Retrieval
- Improves your Gym's Acoustics
- Reusable Seaming Tape
- Anti-Microbial Protected



### Unequaled Strength and Durability

- Flexible Deployment Options
- Attractive Appearance
- Easy to Clean and Store
- Suitable for use on all hard floor surfaces



### All Day, Everyday Protection


- Anti-Microbial Protected Top Cloth
- Non-Skid Backing keeps the Runner in place
- Designed to Protect High Traffic Areas
- Virtually Stain Proof



### KEY FEATURES

- Extremely Light Weight, Durable, & Tear Resistant
- Fast and Easy Installation
- Appearance and Acoustical Properties of Carpet
- Highly Slip and Stain Resistant
- Easy to Clean
- Top Hook Seaming System Included
- Compact and Easy to Store
- Anti-Microbial Protected

100% Recycled Polyester Topcloth  
 Non-Skid Extruded Backing with Moisture Barrier  
 Wood Flooring



# PROTECT YOUR WOOD!

Included, Top Hook Seaming System  
 more cost effective than tape

Reuse over 50 Times!

- Attractive
- Easy to Use
- No Sticky Residue



Top Hook Seaming System

One & Done!



Tape for Vinyl

10,000ft<sup>2</sup> saves 7,000\*  
 Plastic Bottles from the Landfill



PowerWinder Available  
 (See Pg. 6 for full list of accessories)



**SPECIFICATIONS:** Dimension: 6ft wide x Custom Length  
 Weight: 15.5oz. per YD<sup>2</sup>  
 Warranty: 3 Year  
 Fire Rating: ASTM E648-06 Class 1






## KEY FEATURES

- Versatile
- Only 8.2 Pounds per Tile!
- Extremely Durable and Stain Resistant
- Appearance and feel of Carpet
- Incredible Acoustic Properties
- Highly Slip Resistant
- Used to Protect Virtually Any Floor Surface

100% Recycled Polyester Topcloth  
Tri-Layer Extruded Backing with Moisture Barrier  
Floor Surface



# PROTECT YOUR WOOD!

**SPECIFICATIONS:** Fiber: 100% U.V. Stable Recycled PET

Size: 35" x 70"

Pile Height: 1/8"

Total Height: 1/4"

Total Thickness: 1/4"

Total Weight: 74.5oz YD2 +/- 7%

Dye Method: Solution Dyed


Warranty: 7 Years

ASTM E 648-10 - Class 1

Primary Backing: Proprietary Thermoplastic Blend with a laminated fiberglass layer for dimensional stability

*Stock Color Options:*

Medium Gray



## STORAGE CART AVAILABLE

Carts Hold Up To  
200 Tiles Each




[www.protexmatting.com](http://www.protexmatting.com)





100% Recycled Anti-Microbial Topcloth  
 Non-Skid Vinyl Backing with Moisture Barrier  
 Floor Surface



## KEY FEATURES

- Anti-Microbial Protected
- Extremely Durable and Stain Resistant
- Highly Slip Resistant
- Easy to Clean
- Used to Protect Virtually any Floor Surface
- Top Cloth Made from 100% Recycled Plastic Bottles

# PROTECT YOUR FLOOR!

### Anti-Microbial Technology

The built in revolutionary, technology incorporated into Courtside Runner reduces and helps prevent the growth of mold, mildew, fungus, and destructive odor causing bacteria on the carpet surface.

The durable protection is non-leaching, safe for users and the environment, withstands cleaning and chemicals, and remains effective throughout the life of the product.

\*Charcoal is the only color that is currently antimicrobial and made from recycled plastic bottles

### SPECIFICATIONS:

100% recycled polyester with built in anti-microbial protection

Face Weight: 18 oz. YD2

Pattern: non-directional

Pile Height: 1/8"

Total Thickness: 1/4" Total

Weight: .56 lb./ FT2 +/- 7%

Dye Method: Solution Dyed

Warranty: 1 Year



### CUSTOM LOGOS AVAILABLE



[www.protexmatting.com](http://www.protexmatting.com)



# GYM FLOOR COVER ACCESSORIES



## GYMPRO® • STORAGE RACK

*item # G-RGPLUB*

- Holds up to 7,000 sq. ft. of the GymPro EcoRoll
- Dimensions: 90"x 32.75"x 62"
- Empty Weight: 297 lbs.
- Requires only 12 Bolts to Assemble

GYMPRO EZ-Roll System

*item # G-AGPSB*



## GYMPRO® • POWERWINDER

*item # G-AGPPW*

- Save Time and Money on Labor Costs
- Plug and Play, It Works With Your Existing Rack
- Makes Retrieving the Eco-Roll System even quicker and easier



## GYMPRO® • STORAGE RACK COVER

*item # G-AGPSC*

- Protects your Eco-Roll System while not in use.
- Custom Logo Printing Available



## GYMPRO® • TOP HOOK SEAMING TAPE STORAGE

*item # G-AGSTSS*

- Stores Up To 16 Rolls of Top Hook Seaming Tape When Not In Use
- Eliminates Several Trips To the Storage Closet



## ECOTILE • STORAGE CART

*item # G-GPTileCart*

- Holds up to 200 EcoTile Each
- Dimensions: 36"x72"
- Empty Weight: 100lbs

## ADDITIONAL ACCESSORIES

- EcoRoll Velcro Tabs - Bag of 36 Qty .....item # G-AGPT36
- EcoRoll Core Clips - Pack of 6 Qty.....item # G-AGPAC6
- Courtside Runner Storage Straps - Pack of 4 Qty.....item # G-AGPS4B
- Top Hook Seaming Tape 4"X 75' .....item # G-AGPV425



## KEY FEATURES

- 100% U.V. Stabilized solution dyed polypropylene fiber
- Extremely durable and coarse fiber blend resists crushing and extends life span
- Stain, Mold and Mildew Resistant
- Easily Cleaned
- “Pure Performance” rubber backing makes sure your facility protection sits and stays.
- 37 oz. & 52 oz. Face Weight

# ENTRANCE MATTING

*Durable, Attractive, Protection*

Premier Entrance matting is the most effective matting money can buy. Our heavy duty wiper / scraper matting holds up to years and years of abuse. The dense, coarse fiber blend contains dirt and moisture from shoes, reducing maintenance costs and helping to prevent slip and fall accidents. Unlike other mats out there, you can actually clean our matting when you need to. You don't have to wait for good weather to drag them outside and rinse them off. After all, what is the point of a dirty mat?

### SPECIFICATIONS:

Premier 52 & 37 Entrance Matting  
 Fiber: 100% Solution Dyed UV Stabilized ASOTA™ Polypropylene  
 Pattern: Berber Pattern (NOP)  
 Primary Backing: Premium Composite Rubber  
 Warranty: 5 Year Limited Warranty



*Custom Sizes Available*

### HEAVY DUTY EDGING

Glued and Stitched for increased durability and longevity.



[www.protexmatting.com](http://www.protexmatting.com)


<b>Premier 52</b> 	Face Weight: 52 oz YD <sup>2</sup> Pile Height: .25 inch Total Thickness: .47 inch	<b>Premier 37</b> 	Face Weight: 37 oz YD <sup>2</sup> Pile Height: .125 inch Total Thickness: .375 inch
--	--	--	--





## DID YOU KNOW?

85% of Dirt can be trapped within the first 10-15 feet of an entrance with proper size matting.



# DIRT ISN'T CHEAP!



The estimated cost to remove 1lb of dirt from a facility is **\$600.00**

## CUSTOM INLAID LOGO MATTING

- Inlaid logos are precision cut from the same material (different color) as the mat.
- Patterns are perfectly matched.
- Because the logo is the same materials, not just a screened or printed logo, it performs better, looks better and lasts longer!




Autumn	Natural	Beige	Rosewood	Taupe	Charcoal	Loden
Garnet	Zinc	Gold	Black	Rood	Burgundy	Walnut
Crimson	Yellow	Raven	Hunter Green	Prism	Chocolate	White
Kelly Green	Purple	Orange	Bark	Sterling	Verdi	Steel Blue
Turquoise	Sky Blue	Pink	Bright Red	Royal Blue	Azure	Midnight Blue





# PROTEX OUTDOOR TRAFFIC MATTING

The New Protex Traffic Scraper is the ultimate outdoor product for performance, style, and clean ability. Unique in the outdoor matting arena, Traffic Scraper allows Protex to offer both oversized and customizable matting solutions for outdoor needs. With sizes up to 13'2" in width, and lengths that extend up to 75', there is no matting need to large or small for Protex to solve.



## SPECIFICATIONS

- Style: outdoor scrapper
- Face: tufted-grass style
- Face Weight: 32oz YD2
- Face Material: polypropylene
- Construction: tufted cut pile
- Backing: latex
- Thickness: 1/2"
- Width: up to 13'2"
- Edging: Flexible Reducer
- Warranty: 1 year limited

## ADVANTAGES OF PROTEX OUTDOOR TRAFFIC MATTING

- First Line of Defense
- High End Appearance
- Unequaled Soil and Dirt Retention
- Easy to Clean
- Dries Quickly



**VINYL  
SCRAPER**  
by *PROTEX Industries*




## KEY FEATURES

- Highly Durable
- Easy to Clean
- U.V. Stabilized Vinyl
- Scrapes and Removes Dirt and Water
- Quick Drying
- Attractive Safety Edging

## COLOR OPTIONS

Black, Blue, Brown, Gray,  
Red



**STANDARD  
VINYL EDGING**

[www.protexmatting.com](http://www.protexmatting.com)

# VINYL SCRAPER

## *The First Line of Defense*

The Protex Premier Scraper is the first line of defense for your facility. Our extremely dense, vinyl loop outdoor matting catches and traps dirt and moisture before it can get into your building. The attractive mat is durable, U.V. stable, and easy to clean. The Premier Scraper does not have a backing, allowing water to pass through and the mat to dry quickly. Outdoor matting is an important part of an effective matting system. Protect your facility with Premier Scraper, the best outdoor solution on the market today. Vinyl Scraper can be printed with your logo for a custom look!

## SPECIFICATIONS:

- Fiber Weight: 93 oz per YD2
- Total Weight: 120-140 oz per YD2
- Construction: coiled Vinyl Web
- Backing: Available Backed and Unbacked (for pools, spas, and locker rooms)
- Edging: Medium Profile Vinyl Reducer
- Thickness: 3/8"
- Warranty: 1 year limited





**FACILITY GUARDIAN**  
**Indoor/Outdoor**  
by *PROTEX Industries*

## FACILITY GUARDIAN MATTING

Facility Guardian Matting is an exterior or vestibule scraper matting designed to remove debris before it enters your building. It is easy to clean and maintain, as it requires no drying time. It will work well in medium traffic applications.

### PERFECT FOR:

- COMMERCIAL BRANDING
- INDOOR/COVERED OUTDOOR LOCATIONS
- MEDIUM TRAFFIC LOCATIONS

### SPECIFICATIONS

- Surface Material: PVC Coated Vinyl Loop
- Surface Weight: 22 oz. per sq yd
- Surface Color: Solution dyed
- Logo: Yes, Direct Printed
- Thickness: 3/8"
- Warranty: 1 year



**HD PREMIER**  
**INDOOR WIPER MATTING**  
by *PROTEX Industries*

## HD PREMIER WIPER MATTING

HD PREMIER Wiper Matting is an indoor or vestibule wiper matting designed to remove moisture before it enters your building. It's plush pile (similar to Olefin) and heavy duty vinyl backing will work well in medium traffic applications.

### PERFECT FOR:

- COMMERCIAL BRANDING
- INDOOR
- MEDIUM TRAFFIC LOCATIONS

### SPECIFICATIONS

- Surface Material: Plush Nylon Yarn
- Surface Weight: 16 oz. per sq yd
- Surface Color: Solution dyed
- Logo: Yes, Injection Dyed
- Thickness: 3/8"
- Warranty: 1 year



## TECHNOLOGY

The built in revolutionary, Technology incorporated into FHM reduces and helps prevent the growth of mold, mildew, fungus, and destructive odor causing bacteria on FHM.


The patented silver and copper ion technology is clean, safe, natural, and effective. The durable protection is non-leaching, safe for users and the environment, withstands cleaning and chemicals, and remains effective throughout the life of the product.



### CUSTOM PRINTING AVAILABLE

- Reduce Labor & Maintenance Costs while Increasing Facility Safety & Appearance
- Two Size Options, Unlimited Uses
- Fully Disposable
- 100% Recycled, Super Absorbent top cloth wicks and contains moisture
- Non-Skid "tacky" Backing prevents moisture penetration keeping the floor clean and dry
- Available in custom sizes (with vinyl backing) up to 4' in width (great for runners in convenience and grocery stores)

100% Recycled Polyester Topcloth  
Non-Skid "tacky" Backing with Moisture Barrier  
Hard Surface



# ANTI-MICROBIAL PROTECTED MATTING

*Maintaining a clean, healthy facility just got easier*



#### SIZE

Small

Large

XLarge / Custom

#### DIMENSION

- 18" x 20"

- 30" x 36"

- Custom Length x (up to) 48"

#### QTY PER CASE

- 6 Qty


- 2 Qty

- 1 Qty



# PROTEX CUSTOM LOGO INFORMATION

Logos are a great way to show school spirit, market a brand, or add an attractive design element to a flooring product. At Protex Industries, we pride ourselves on the unique ability to place high quality logos on virtually every product we produce. Protex utilizes the following methods to reproduce your logo on our products:



## FLOCKING

The process of embedding colorfast nylon fibers into high tech adhesives on the surface of the flooring products.

**Products Flocked:** *GymPro Courtside Runner and Olefin Wiper Mats*



## DIRECT PRINT

With our Direct Print Process your options are virtually limitless!

**Products That Can Be Direct Printed :** *HD Premier, Nitro, Facility Defender, and Premier Vinyl Scraper Mats*



## CUSTOM INLAID LOGOS

The process of cutting and hand inlaying the matting to produce a long lasting and durable logo.

**Products inlaid:** *Premier Entrance Matting*

## THE DETAILS

A written purchase order and signed artwork will be required. Please allow approximately 4-6 weeks for fabrication, pending credit release. For your convenience a user-friendly Mat Quote form is available. It will assist you in providing all the necessary information needed to quote the mat. Send a mat quote form request to:

[orders@protexind.com](mailto:orders@protexind.com)

## COLOR PROOFING AND PROJECT ESTIMATES

Color proofs and quotes normally take 1-4 business days depending on the type of art file we receive. Vector art files must be sent for quickest turnaround. Vector images are used in most aspects of graphic design and are the preferred format for printing. If the logo has been previously printed on anything - a business card, stationery, t-shirt, etc. - then a vector image should be available. If a vector file is not obtainable, please send the art in one of these preferred formats: .eps or .ai. If the logo is registered or trademarked, a vector art file is required.

## MAINTENANCE ICON KEY



Pressure Wash



Sweep



Vacuum



Extraction



Rinse



Disposable



Spot Clean

# DIRECT PRINT LOGOS

---





# FLOCKED LOGOS

---



# CUSTOM INLAID LOGOS





PROTEX Industries LLC  
[WWW.PROTEXMATTING.COM](http://WWW.PROTEXMATTING.COM)